

Reception counters Axer





### **MARO Office Furniture**

For 30 years, we have been making sure that office work is comfortable and ergonomic. Our furniture demonstrates our professionalism and love for what we do. We are passionate about creating exquisite and functional things and that translates into a quest for new solutions that turn concepts into products at a higher and higher level. Using innovative engineering solutions, we strive for ensuring that our products are top-notch. Our quality has been proved by ISO 9001 and Geprüfte Sicherheit certificates. This is possible thanks to our technology park, where world-class techniques come together under one roof. As a responsible producer, we wish to minimize our ecological footprint and expect the same from our suppliers.

Our Machinery Park guarantees top quality and precision. Thanks to the investments in new techniques and constant search for unconventional solutions, we thrive all the time. We are aware of how valuable the human factor is, therefore some elements of our furniture are hand-made. Gluing the carcasses of curved counters is a job where the human has an advantage over the machine. However, where surgical precision and repeatability in short time are necessary, we take advantage of the latest technique. Wood processing center drills, mills and processes the edges with utmost precision. The quality of our furniture is based on hundreds of trials and tests, thanks to which we are certain that we are second to none





















# Reception counters Axer

#### **TRANSPORT**

- Product delivered in boxes
- WARRANTY
- 5-year MARO warranty

#### **CERTIFICATES**



#### **MELAMINE PANEL BOARD CERTIFICATES**









# Reception counters Axer

Axer is a collection of reception counters that are distinguished by minimalist and geometric forms. Multiple set-up options of one or two U- or L-shaped add-on tops provide a wide range of arrangement possibilities.

Reception counters with decorative profiles can additionally be equipped with welcome inscriptions. Another decorative element of Axer L type reception counter is eye-catching ambient LED lightening of the base.

A wide range of accessories enables to make a functional and ergonomic work space.

#### **WORK TOP**

- Chipboard coated on bo th sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standar d.
- 25 mm thick t op finished with 2 mm thick ABS plastic edg e with 3 mm radius.
- Top affixed to front at the heigh t of 740 mm.
- Elliptic ergonomic outle t as standard.
- Monitor shelf, cut-out in the work top on the right /left side or the center and a shelf with adjustable height as an option with a surcharge. Monitor shelf excludes ergonomic outlet.



#### PANEL LEGS

- Panel legs are made of 25 mm thick board.

## ADDITIONAL INFORMATION

- Colors according to MARO

#### **ADD-ON TOPS**

- Reception counter with L type add-on t op is equipped with a base with LED ambien t light.
- U type add-on t op is equipped with leveling feet as standard.
- L- and U-type add-on t ops are made o f 36 mm thick boar d coated on both sides with melamine resin.
- The surfaces are joined with an elegan t diagonal cutting.
- It can be moun ted anywhere on the c ounter top taking in to account the construction limitations described a t the beginning o f the chapter.
- Add-on t op can be scr ewed to the car cass in an y position taking into account the c onstruction limitations presented at the beginning of the chap ter.


#### RECEPTION COUNTER FRONT


- Chipboard coated on bo th sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standar d.
- 2 mm thick boar d finished with 2 mm thick ABS plastic edg e with 3 mm radius.
- 25 mm thick boar d as standard.
- Decorative profile made o f polished st eel as standard.
- Welcome inscription (H:110 mm) Witamy/ Welcome/ Willkommen made of polished st eel on the left or right as an op tion with a surcharge available for 2200 mm and 2400 mm wide reception counters.







# Reception counter Axer L









# Reception counterAxer U









# Add-on top L





# Add-on top U






# Axer / Colors


ADD-ON TOP					ADD-ON TOP			<b>^</b>		
<u>W</u>	/ELCON	ME INSCRIPTION							CONSTRI ELEMEN	
				ER TOP ATIVE PROFILE	_				WORK TOP	
		PANE	L LEG	<u>LI</u>	EVELING FOOT	/		PANELLEG		
			Front	Add-ontop	Add-on top edge	Work top	Panelleg	Decorative profile	Welcome inscription	Construction elements
STANDARD	Melamine UNI	STD 1 White STD 2 High Gloss White STD 3 Gray STD 4 Beige STD 5 Norwegian Green STD 6 Navy Blue STD 7 Graphite STD 8 Black	•	•	•	•	•			
	Melamine	STD 10 Acacia STD 11 European Maple STD 12 Napolitano Oak STD 13 Gray Spruce STD 14 American Oak STD 15 Natural Oak STD 16 Cherry Havana STD 17 Walnut Brown	•	•	•	•	•			
TREND*	Melamine	TRD 1 Blush TRD 2 Claret TRD 3 Dark Turquoise TRD 11 Stark Oak TRD 12 Flamed Oak		•						
STANDARD	Metal	M 02 White M 01 Aluminium M 03 Beige M 04 Black M 05 Graphite								•
TREND*	Metal	M 06 Sunny Beige M 07 Faded Turquoise M 08 Ginger M 09 Dirty Pink								
STANDARD	Glass	White Lacobel Black Lacobel White Opti Black Opti								
Decor		Brushed aluminum						•		
Metal		Polished steel							•	

# Axer / Equipment


# Axer reception counter L type




## Axer reception counter U type




# Reception counter dimensions presented in cross section




# Add-on top fitting



- 1. The part of the add-on t op based on the counter must be at least  $600\,\mathrm{mm}$  long.
- 2. The distance between an add-on t op and a car cass needs to be within 350 mm and 1500 mm.
- 3. 1+2 total length of add-ont op max. 2400 mm. Add-on top must be mounted at least in the half of the depth of the counter.
- 4. Side add-on t op needs t o be based on the counter with its total width.






# Axer / Equipment

# Welcome inscription

Witamy/Welcome/Willkommen -welcome inscription (H: 110 mm) made of polished steel on the front of the reception counter on the left or right side - as an option with a surcharge.

# Axer L






1. Inscription height Surcharge H: 110 mm Price

2. Location -right, left

#### Monitor shelf

520x200 mm cut-out in the work top located on the right or left side or in the c enter of the top and a shelf with adjustable height affixed under the top as an op tion with a surcharge. Monitor shelf excludes an er gonomic outlet.




Surcharge Price + 287 EUR

+ 344 EUR

- 1. Shelf dimensions 520x200 mm
- 2. Location right, left or center

## **Details**

#### **MONITOR SHELF**



Cut-out in the work top with monit or shelf

#### **OUTLET**




Ergonomic outle t

#### WELCOME INSCRIPTION



Welcome inscription made of polished steel Witamy/ Welcome/ Willkommen

#### **DECORATIVE PROFILE**



Decorative profile in brushed aluminum color

# Melamine





You can find all our current materials online.



Visit our website maro.pl



Find high quality photos and films to use in your materials maro.cloud/photo



Find solids and catalogs maro.pl/design-tools/pliki-do-pobrania



Oder furniture online shop.maro.pl



Fabryka Mebli Biurowych MARO Sp. z o. o. PL 62-052 Komorniki, ul. Fabianowska 100

**(**+48 61 890 00 00

@ maro@maro.pl

MARO.pl

# Follow us and join to MARO community



/@maroofficefurniture



/@maroofficefurniture



/@maroofficefurniture



/@maroofficefurniture

Please place your orders for printed materials and color samples by e-mail to marketing@maro.pl.

We reserve the right to make changes and mistakes. All the information in this price list is up-to-date on the publication date/accepting the material for publishing. The prices do not include VAT tax.

General Terms and Conditions of Sales and General Warranty and Complaint Terms and Conditions constitute an integral part of Sales Contracts.

The price list is valid from 01.07.2022 until further notice.